

Floor Gully, Purus Våke

Holder/Issued to

Purus AB

Södra Dragongatan 15, SE-271 39 Ystad, Sweden

VAT-number: 559007-0032

Telephone: +4610-41 44 900, fax: +4610-41 44 996

Mail address: info@purus.se Web site: www.purus.se

Product description

Våke floor gully is made of plastic (polypropene, PP). Våke has a side outlet DN 75 and three extra inlets. When connecting a side inlet to the Våke body, a VL coupling 32 mm is mounted, then a pipe with DN 32 is connected. The grating, P 150, made of plastic, has an outer diameter of 150 mm and belongs to loading class K 3 (300 kg).

Våke is delivered with removable water trap, clamping ring, one VL coupling 32 and grating. The gully may be equipped with extension ring FHP. The extension ring ought to have a Type Approval.

Våke's flow capacity is 1.17 l/s via the outlet of the gully.

Intended use

Purus Våke is intended for domestic waste water and for installation in concrete or timber floor constructions with vinyl flooring or tiles.

In spaces without requirements for watertight layer the gully may be mounted in concrete floors or concrete floors with an epoxy layer. Mounting in epoxy requires an insert to the gully.

Trade name

Purus Våke – Ø150 mm, RSK number (product code) 7113580.

Approval

The product satisfy the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Waste water installations	6:641, 1 st and last sentence in 2 nd paragraph
Design	6:644, 1 st sentence and 2 nd paragraph
Fixtures, fittings and equipment	8:32

Associated documents

Installation instruction Purus floor gullies 150 RAN, dated 2011-10-25.

Operating and maintenance instructions Purus floor gullies - general, version 2011: 1.

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control agreement: 351. Inspection body: DTI, Danish Technological Institute.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this

Type approval 0148/95 | 2018-03-29

RISE Research Institutes of Sweden AB | Certification
Box 857, SE-501 15 Borås, Sweden
Phone: +46 10-516 50 00
certifiering@ri.se | www.ri.se

2018-01-16-20



7P06441

(PX20491)



approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this approval is based.

Manufacturing place

Production control includes the following place: Purus AB, Södra Dragongatan 15, SE-271 39 Ystad, Sweden

Marking

The product is to be marked at the factory. The marking consists of a text on every product and packing. The marking includes:

Product label on the product is marked:

Holder
Manufacturing place /Factory code
Product type designation
Consecutive manufacture no.
Type approval number
Boverket's registered trade mark
RISE Accreditation number
Certification body
Inspection body

Purus
Purus
Purus Våke - Ø150 mm
number
0148/95
†
1002
RISE Certification
351, DTI

Product is marked:

Holder
Consecutive manufacture date of production
Product code clamping ring 150 mm (PP plastic)
Product code Våke water trap (PP plastic)
Product code VL coupling, 32 mm (PP plastic)
Product code P 150 plastic grating (PP plastic)

Purus
month /year
714 13 15
711 35 83
714 61 04
713 84 16

Basis for judgement/approval

Report P200524 and 94E12263 from SP Sveriges Tekniska Forskningsinstitut (now RISE), report VTT-S-03517-17 from VTT Expert Services LTD and report 757089 from DTI.

Comments

This floor gully is approved according to standard SS-EN1253-1:2015. Installation instructions shall be delivered with the floor gully. The removable water trap needs to be cleaned regularly.

This approval supersedes the previous approval with the same number dated 2012-04-03, valid through 2017-04-02.

Validity

Valid through 2023-03-28.

The validity of this approval expires when the characteristics included in this approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Johan Åkesson

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.

Type approval 0148/95 | 2018-03-29

RISE Research Institutes of Sweden AB | Certification