

RSK 7098879

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.



RSK 7098880

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098882

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098884

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098886

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098887

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098888

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

RSK 7098881

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098883

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098885

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

| | |
|---------------------------|--|
| RSK Number | 7098879 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 600×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|---------------------------|--|
| RSK Number | 7098880 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |

| | |
|---------------------------|---|
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 800×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098882 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 1000×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098884 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |

| | |
|---------------------------|---|
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 1200×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098886 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 1500×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098887 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |

| | |
|---------------------------|---|
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 2000×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098888 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 2500×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|---------------------------|---|
| RSK Number | 7098881 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 900×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|---------------------------|---|
| RSK Number | 7098883 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 1100×100 mm |

| | |
|-------------------------------|--|
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098885 |
| Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Concrete |
| Function | Central outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Size | 1400×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |