



RSK 7098979

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098980

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098981

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098982

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel

RSK 7098983

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098984

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098985

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the

environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098986

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098987

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK 7098988

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

RSK Number	7098979	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	600×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098980	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	800×100 mm	

Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098981	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	900×100 mm	
Size Surface	900×100 mm Pickled	
Surface	Pickled	
Surface	Pickled	
Surface Version	Pickled Do not forget grid/outlet house	
Surface Version RSK Number Floor	Pickled Do not forget grid/outlet house 7098982	
Surface Version RSK Number Floor Construction	Pickled Do not forget grid/outlet house 7098982 Concrete flooring	
Surface Version RSK Number Floor Construction Floor Covering	Pickled Do not forget grid/outlet house 7098982 Concrete flooring Tiles	

Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1000×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098983	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1100×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098984	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	

Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1200×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098985	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1400×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098986	
Floor Construction	Concrete flooring	

Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless stee in Ø50, Ø75 or Ø 110 mm	
Size	1500×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098987	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	2000×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	

RSK Number	7098988	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	2500×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	

Dimension (mm)	LxW (mm)
600x100	602x101
800x100	802x101
900x100	902x101
1000x100	1002x101
1100x100	1102x101
1200x100	1202x101
1400x100	1402x101
1500x100	1502x101
2000x100	2002x101
2500x100	2502x101

