



RSK 7098889

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098890

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098892

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098894

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098896

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098897

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098898

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

RSK 7098891

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098893

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098895

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK Number	7098889	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Resin	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	600×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7098890	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Resin	
Function	End outlet	
Function Item Color	End outlet Stainless	

Surface Pickled Version Do not forget grid/outlet house **RSK Number** 7098892 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Concrete flooring Floor Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 1000×100 mm **Surface** Pickled Do not forget grid/outlet house Version **RSK Number** 7098894 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless**

Material Acid-resistant stainless steel 1.4404 Size 1200×100 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7098896 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 Size 1500×100 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7098897 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction

Resin

Floor Covering

Function End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 2000×100 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7098898 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 2500×100 mm Surface **Pickled** Do not forget grid/outlet house Version **RSK Number** 7098891

DimensionBottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction

Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

900×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

RSK Number

7098893

Dimension

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

1100×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

RSK Number 7098895 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Concrete flooring **Floor** Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 1400×100 mm Size **Surface** Pickled Do not forget grid/outlet house Version

Dimension (mm)	LxW (mm)	H (mm)
600x100	602x101	66,3
800x100	802x101	66,3
900x100	902x101	66,3
1000x100	1002x101	66,3
1100x100	1102x101	71,3
1200x100	1202x101	71,3
1400x100	1402x101	71,3
1500x100	1502x101	71,3
2000x100	2002x101	76,3
2500x100	2502x101	76,3

