PURUS



Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7097010

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7097011

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103029

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a



surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103033

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103030

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103031

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103032

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103034

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103035

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103036

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for resin floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Specifications

RSK Number 7097009

Dimension Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

Floor Concrete flooring Construction

Floor Covering Resin

Function End outlet

Item Color Stainless

Material Acid-resistant stainless steel 1.4404

Size 800×150 mm

Surface Pickled

Version Do not forget grid/outlet house

RSK Number 7097010

Dimension Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

Floor Construction

Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

1000×150 mm

Surface

Pickled

Version

Do not forget grid/outlet house

RSK Number

7097011

Dimension

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

1200×150 mm

Surface

Pickled

Version

Do not forget grid/outlet house

RSK Number	7103029	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Resin	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	500×150 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7103033	
RSK Number Dimension	7103033 Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
1.011 1.01111001	Bottom/side in plastic or stainless steel	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Dimension Floor Construction	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Concrete flooring	
Dimension Floor Construction Floor Covering	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Concrete flooring Resin	
Dimension Floor Construction Floor Covering Function	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Concrete flooring Resin End outlet	

Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7103030	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Resin	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	600×150 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7103031	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Resin	
Function	End outlet	

Material Acid-resistant stainless steel 1.4404 900×150 mm Size **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103032 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 Size 1100×150 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103034 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction

Resin

Floor Covering

Function End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 1400×150 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103035 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 1500×150 mm Surface **Pickled** Do not forget grid/outlet house Version

DimensionBottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

7103036

RSK Number

Floor Construction

Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

2000×150 mm

Surface

Pickled

Version

Do not forget grid/outlet house

RSK Number

7103037

Dimension

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction Concrete flooring

Floor Covering

Resin

Function

End outlet

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

Size

2500×150 mm

Surface

Pickled

Version

Do not forget grid/outlet house

Dimension (mm)	LxW (mm)	H (mm)
500x150	502x151	66,3
600x150	602x151	66,3
800x150	802x151	66,3
900x150	905x151	66,3
1000x150	1002x151	66,3
1100x150	1102x151	71,3
1200x150	1202x151	71,3
1300x150	1302x151	71,3
1400x150	1402x151	71,3
1500x150	1502x151	71,3
2000x150	2002x151	76,3
2500x150	2502x151	76,3

