## **PURUS**



## RSK 7098770

Purus channel combo is made of acidresistant stainless steel with side outlet Ø75 mm for installation in concrete. The floor channel is 300x300x150 och är avsedd för plastmatta som ytskick. There is always residual water in the channel about 50 mm of water forms the water trap in the bottom of the channel and is equipped with a cleaning plug. The floor channel requires an almost continuous flow to function properly. Unsuitable in environments that set hygiene requirements.

## RSK 7098772

Purus channel combo is made of acidresistant stainless steel with side outlet Ø75 mm for installation in concrete. The floor channel is 500x300x150 and is intended for vinyl flooring. There is always residual water in the channel about 50 mm of water forms the water trap in the bottom of the channel and is equipped with a cleaning plug. The floor channel requires an almost continuous flow to function properly. Unsuitable in environments that set hygiene requirements.

## Specifications

RSK Number	7098770	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Side outlet	

Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Ø75 mm	
Pressure Flow Temp	1,3 l/s	
Size	300x300x150 mm	
Surface	Pickled	
Version	Do not forget grid/grating	
RSK Number	7098772	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Side outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Ø75 mm	
Pressure Flow Temp	1,3 l/s	
Size	500x300x150 mm	
Surface	Pickled	
Version	Do not forget grid/grating	

Dimension (mm)	LxWxH (mm)	Ø (mm)
300x300x150	303 x 303 x 150	75
300x300x200	303 x 303 x 200	110
500x300x150	503 x 303 x 150	75
500x300x200	503 x 303 x 200	110



