PURUS



RSK 7098770

Purus channel combo is made of acidresistant stainless steel with side outlet Ø75 mm for installation in concrete. The floor channel is 300x300x150 och är avsedd för plastmatta som ytskick. There is always residual water in the channel about 50 mm of water forms the water trap in the bottom of the channel and is equipped with a cleaning plug. The floor channel requires an almost continuous flow to function properly. Unsuitable in environments that set hygiene requirements.

RSK 7098772

Purus channel combo is made of acidresistant stainless steel with side outlet Ø75
mm for installation in concrete. The floor
channel is 500x300x150 and is intended for
vinyl flooring. There is always residual
water in the channel about 50 mm of water
forms the water trap in the bottom of the
channel and is equipped with a cleaning
plug. The floor channel requires an almost
continuous flow to function properly.
Unsuitable in environments that set hygiene
requirements.

Specifications

RSK Number	70987

Dimension Ø75 mm

Floor Concrete flooring
Construction

70

Floor Covering Vinyl

Function	Side outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	1,3 l/s
Size	300x300x150 mm
Surface	Pickled
Version	Do not forget grid/grating
RSK Number	7098772
Dimension	Ø75 mm
Floor Construction	Concrete flooring
Floor Covering	Vinyl
Function	Side outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	1,3 l/s
Size	500x300x150 mm
Surface	Pickled
Version	Do not forget grid/grating

Dimension (mm)	LxWxH (mm)	Ø (mm)
300x300x150	303 x 303 x 150	75
300x300x200	303 x 303 x 200	110
500x300x150	503 x 303 x 150	75
500x300x200	503 x 303 x 200	110



