

## RSK 7114658



The Purus Line 600 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame and installation kit. It is compatible with the 600 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## RSK 7114660

The Purus Line 700 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame and installation kit. It is compatible with the 700 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## RSK 7114662

The Purus Line 800 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel

clamping ring, stainless steel frame and installation kit. It is compatible with the 800 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

RSK 7114664

The Purus Line 900 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame and installation kit. It is compatible with the 900 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

RSK 7114666

The Purus Line 1000 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame and installation kit. It is compatible with the 1000 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## RSK 7114674

The Purus Line 1200 is a linear floor drain body with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line comes with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame and installation kit. It is compatible with the 1200 Patterned and Limited Edition grates, which are sold separately. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

### Specifications

|                           |                                 |
|---------------------------|---------------------------------|
| <b>RSK Number</b>         | 7114658                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 600                             |
| <b>Version</b>            | With frame and no grating       |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>RSK Number</b>         | 7114660                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 700                             |
| <b>Version</b>            | With frame and no grating       |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>RSK Number</b>         | 7114662                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Size</b>               | 800                             |
| <b>Version</b>            | With frame and no grating       |
| <b>RSK Number</b>         | 7114664                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 900                             |
| <b>Version</b>            | With frame and no grating       |
| <b>RSK Number</b>         | 7114666                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 1000                            |
| <b>Version</b>            | With frame and no grating       |
|                           |                                 |
| <b>RSK Number</b>         | 7114674                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Tiles                           |
| <b>Function</b>           | End outlet                      |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø50 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 1200                            |
| <b>Version</b>            | With frame and no grating       |

