

## **PURUS**





RSK 7115487

The Purus Line Vinyl Plus 700 is a designed floor drain for vinyl flooring with a 50 mm side outlet, with a low construction height of 83 mm and is suitable for installation in concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115488

The Purus Line Vinyl Plus 800 is a designed floor drain for vinyl flooring with a 50 mm side outlet, with a low construction height of 83 mm and is suitable for installation in concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if



there is no water present. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115489

The Purus Line Vinyl Plus 900 is a designed floor drain for vinyl flooring with a 50 mm side outlet, with a low construction height of 83 mm and is suitable for installation in concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115490

The Purus Line Vinyl Plus 1000 is a designed floor drain for vinyl flooring with a 50 mm side outlet, with a low construction height of 83 mm and is suitable for installation in concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

**Specifications** 

**RSK Number** 

7115486

Floor Construction Concrete flooring

Floor Covering	Vinyl
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø50 mm
Pressure Flow Temp	0,6 l/s
Size	600
Version	With frame and no grating
RSK Number	7115487
Floor Construction	Concrete flooring
Floor Covering	Vinyl
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
<b>Outlet Dimension</b>	Ø50 mm
Pressure Flow Temp	0,6 l/s
Size	700

RSK Number	7115488
Floor Construction	Concrete flooring
Floor Covering	Vinyl
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
<b>Outlet Dimension</b>	Ø50 mm
Pressure Flow Temp	0,6 l/s
Size	800
Version	With frame and no grating
RSK Number	7115489
Floor Construction	Concrete flooring
Floor Covering	Vinyl
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø50 mm
Pressure Flow Temp	0,6 l/s

900 Size Version With frame and no grating **RSK Number** 7115490 **Floor** Concrete flooring Construction **Floor Covering** Vinyl **Function** Side outlet, low-rise **Item Color** Grey ABS, PP, Stainless steel 1.4301 **Material Outlet Dimension** Ø50 mm **Pressure Flow** 0,6 l/s Temp Size 1000 With frame and no grating Version

