

## RSK 7115501



The Purus Line Vinyl Plus 600 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

## RSK 7115502

The Purus Line Vinyl Plus 700 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

## RSK 7115503

The Purus Line Vinyl Plus 800 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for

wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115504

The Purus Line Vinyl Plus 900 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115505

The Purus Line Vinyl Plus 1000 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

## Specifications

|                           |               |
|---------------------------|---------------|
| <b>RSK Number</b>         | 7115501       |
| <b>Floor Construction</b> | Concrete/Wood |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Floor Covering</b>     | Vinyl                           |
| <b>Function</b>           | Bottom outlet                   |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø75 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 600                             |
| <b>Version</b>            | With frame and no grating       |

|                           |               |
|---------------------------|---------------|
| <b>RSK Number</b>         | 7115502       |
| <b>Floor Construction</b> | Concrete/Wood |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Floor Covering</b>     | Vinyl                           |
| <b>Function</b>           | Bottom outlet                   |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø75 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 700                             |
| <b>Version</b>            | With frame and no grating       |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>RSK Number</b>         | 7115503                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Vinyl                           |
| <b>Function</b>           | Bottom outlet                   |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø75 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 800                             |
| <b>Version</b>            | With frame and no grating       |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>RSK Number</b>         | 7115504                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Vinyl                           |
| <b>Function</b>           | Bottom outlet                   |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø75 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Size</b>               | 900                             |
| <b>Version</b>            | With frame and no grating       |
| <b>RSK Number</b>         | 7115505                         |
| <b>Floor Construction</b> | Concrete/Wood                   |
| <b>Floor Covering</b>     | Vinyl                           |
| <b>Function</b>           | Bottom outlet                   |
| <b>Item Color</b>         | Grey                            |
| <b>Material</b>           | ABS, PP, Stainless steel 1.4301 |
| <b>Outlet Dimension</b>   | Ø75 mm                          |
| <b>Pressure Flow Temp</b> | 0,8 l/s                         |
| <b>Size</b>               | 1000                            |
| <b>Version</b>            | With frame and no grating       |

