
PURUS





RSK 7115502

The Purus Line Vinyl Plus 700 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115503

The Purus Line Vinyl Plus 800 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for



wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115504

The Purus Line Vinyl Plus 900 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

RSK 7115505

The Purus Line Vinyl Plus 1000 is a designed floor drain for vinyl flooring with a 75 mm bottom outlet for installation in wooden or concrete joists. The floor drain comes with a removable NOOD water trap, stainless steel clamping frame and a concrete installation kit. The NOOD water trap prevents any foul air from escaping through the drain even if there is no water present. Mounting rails for wooden joist are available to purchase separately. The Purus Line Vinyl Plus must be installed at least 200 mm from the wall.

Specifications

RSK Number

7115501

Floor Construction Concrete/Wood

Floor Covering	Vinyl
Function	Bottom outlet
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø75 mm
Pressure Flow Temp	0,8 l/s
Size	600
Version	With frame and no grating
RSK Number	7115502
Floor Construction	Concrete/Wood
Floor Covering	Vinyl
Function	Bottom outlet
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø75 mm
Pressure Flow Temp	0,8 l/s
Size	700
Version	With frame and no grating

RSK Number	7115503
Floor Construction	Concrete/Wood
Floor Covering	Vinyl
Function	Bottom outlet
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø75 mm
Pressure Flow Temp	0,8 l/s
Size	800
Version	With frame and no grating
RSK Number	7115504
Floor Construction	Concrete/Wood
Floor Covering	Vinyl
Function	Bottom outlet
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301
Outlet Dimension	Ø75 mm
Pressure Flow Temp	0,8 l/s

900 Size Version With frame and no grating **RSK Number** 7115505 **Floor** Concrete/Wood Construction **Floor Covering** Vinyl **Function** Bottom outlet **Item Color** Grey ABS, PP, Stainless steel 1.4301 **Material Outlet Dimension** Ø75 mm **Pressure Flow** 0,8 l/s Temp 1000 Size

Version

With frame and no grating

