

RSK 7133754

The 200x200mm stainless steel grate for tiled floors has a height of 25mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus’ floor drains with a grate diameter of 150mm.

RSK 7133756

The 200x200mm stainless steel grate for tiled floors has a height of 6mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus’ floor drains with a grate diameter of 150mm.

RSK 7133757

The 200x200mm stainless steel grate for tiled floors has a height of 50mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus’ floor drains with a grate diameter of 150mm.

RSK 7133758

The 200x200mm stainless steel grate for

tiled floors has a height of 100mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

RSK 7133758

The 200x200mm stainless steel grate for tiled floors has a height of 6mm and a L15 load class (1500kg). The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm and smaller.

RSK 7133760

The 200x200mm stainless steel grate for tiled floors has a height of 25mm and a L15 load class (1500kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

Specifications

RSK Number	7133754
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless

Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x25 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133756
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x6 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133757
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Pressure Flow Temp	K3
Size	200x200x50 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133758
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x100 mm
Surface	Electropolished
Version	With stainless steel grating

Item Number	7133756F
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow	L15

Temp	
Size	200x200x6 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133760
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	L15
Size	200x200x25 mm
Surface	Electropolished
Version	With stainless steel grating


□205
45
Ø147