



RSK 7133754

The 200x200mm stainless steel grate for tiled floors has a height of 25mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

RSK 7133756

The 200x200mm stainless steel grate for tiled floors has a height of 6mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

RSK 7133757

The 200x200mm stainless steel grate for tiled floors has a height of 50mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

RSK 7133758

The 200x200mm stainless steel grate for

tiled floors has a height of 100mm and a K3 load class (300kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

RSK 7133758

The 200x200mm stainless steel grate for tiled floors has a height of 6mm and a L15 load class (1500kg). The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm and smaller.

RSK 7133760

The 200x200mm stainless steel grate for tiled floors has a height of 25mm and a L15 load class (1500kg). It comes with a locking device for securing to the floor. The grate consists of a square frame with a circular grate within, which can be removed for cleaning and maintenance. It is designed to fit most of Purus' floor drains with a grate diameter of 150mm.

Specifications

RSK Number	7133754
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless

Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x25 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133756
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless

Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x6 mm
Surface	Electropolished
Version	With stainless steel grating

RSK Number	7133757
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Pressure Flow Temp	K3
Size	200x200x50 mm
Surface	Electropolished
Version	With stainless steel grating
RSK Number	7133758
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow Temp	K3
Size	200x200x100 mm
Surface	Electropolished
Version	With stainless steel grating
Item Number	7133756F
Floor Covering	Tiles
Function	With locking device
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Pressure Flow	L15

Temp

Size

200x200x6 mm

Surface

Electropolished

Version

With stainless steel grating

RSK Number

7133760

Floor Covering

Tiles

Function

With locking device

Item Color

Stainless

Material

Acid-resistant stainless steel 1.4404

**Pressure Flow
Temp**

L15

Size

200x200x25 mm

Surface

Electropolished

Version

With stainless steel grating

