

## RSK 7989012



V301 Urinal trough in acid-resistant stainless steel, with a length of 1200mm. The urinal trough has a G40 central outlet and G15 water connection outlet, and is suitable for wall installation. It comes complete with suspension fittings, flushing pipe, protective plate and vertical PUM valve. The V301 urinal trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

## RSK 7989014

V301 Urinal trough in acid-resistant stainless steel, with a length of 2400mm. The urinal trough has a G40 central outlet and G15 water connection outlet, and is suitable for wall installation. It comes complete with suspension fittings, flushing pipe, protective plate and vertical PUM valve. The V301 urinal trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

## RSK 7989013

V301 Urinal trough in acid-resistant stainless steel, with a length of 1800mm. The urinal trough has a G40 central outlet and G15 water connection outlet, and is suitable for wall installation. It comes complete with suspension fittings, flushing pipe, protective plate and vertical PUM

valve. The V301 urinal trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

## Specifications

V301 Urinal trough in acid-resistant stainless steel, with a length of 1200mm. The urinal trough has a G40 central outlet and G15 water connection outlet, and is suitable for wall installation. It comes complete with suspension fittings, flushing pipe, protective plate and vertical PUM valve. The V301 urinal trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

<b>RSK Number</b>	7989012
<b>Dimension</b>	G40
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1200
<b>Surface</b>	Polished
<b>Version</b>	With brackets
<b>RSK Number</b>	7989014
<b>Dimension</b>	G40
<b>Function</b>	Central outlet

<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	2400
<b>Surface</b>	Polished
<b>Version</b>	With brackets

**RSK Number** 7989013

**Dimension** G40

**Function** Central outlet

**Item Color** Stainless

**Material** Acid-resistant stainless steel 1.4404

**Size** 1800

**Surface** Polished

**Version** With brackets