

## RSK 7550769



V240 Wash trough in stainless steel, with a length of 1200mm. It is manufactured in stainless steel, has a G40 central outlet and is designed for wall installation. The wash basin comes with two stainless steel brackets and a PUM vertical waste. The wash trough is durable and is practical for environments where strength and hygiene is a priority, for example schools, industrial settings and sports and leisure facilities. It is designed to withstand daily use in these areas. The 1200mm length of wash basin is recommended for two people.

## RSK 7550770

V240 Wash basin trough in stainless steel, with a length of 1200mm. The wash basin trough has a G40 central outlet and is suitable for wall installation. It comes complete with two stainless steel brackets and a vertical PUM valve. The V240 wash basin trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

## RSK 7550771

V240 Wash basin trough in stainless steel, with a length of 1800mm. The wash basin trough has a G40 central outlet and is suitable for wall installation. It comes complete with two stainless steel brackets and a vertical PUM valve. The V240 wash basin trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily

use in areas such as schools, leisure facilities and industrial environments.

RSK 7550772

V240 Wash basin trough in stainless steel, with a length of 2400mm. The wash basin trough has a G40 central outlet and is suitable for wall installation. It comes complete with two stainless steel brackets and a vertical PUM valve. The V240 wash basin trough is durable and practical for environments where high strength and hygiene is required. It can withstand daily use in areas such as schools, leisure facilities and industrial environments.

## Specifications

V240 Wash trough in stainless steel, with a length of 1200mm. It is manufactured in stainless steel, has a G40 central outlet and is designed for wall installation. The wash basin comes with two stainless steel brackets and a PUM vertical waste. The wash trough is durable and is practical for environments where strength and hygiene is a priority, for example schools, industrial settings and sports and leisure facilities. It is designed to withstand daily use in these areas. The 1200mm length of wash basin is recommended for two people.

<b>RSK Number</b>	7550769
<b>Dimension</b>	External thread G40
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Size</b>	L=1 m
<b>Surface</b>	Polished

**Version** With splash protection

**RSK Number** 7550770

**Dimension** External thread G40

**Function** Central outlet

**Item Color** Stainless

**Material** Stainless steel 1.4301

**Size** L=1,2 m

**Surface** Polished

**Version** With splash protection

**RSK Number** 7550771

**Dimension** External thread G40

**Function** Central outlet

**Item Color** Stainless

**Material** Stainless steel 1.4301

**Size** L=1,8 m

**Surface** Polished

**Version** With splash protection

**RSK Number** 7550772

**Dimension** External thread G40

<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Size</b>	L=2,4 m
<b>Surface</b>	Polished
<b>Version</b>	With splash protection