PURUS



Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7097013

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7097014

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103056

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a



surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103060

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103057

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103058

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103059

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103061

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103062

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

RSK 7103063

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Specifications

RSK Number 7097012

Dimension Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

Floor Concrete flooring Construction

Floor Covering Vinyl

Function Central outlet

Item Color Stainless

Material Acid-resistant stainless steel 1.4404

Size 800×150 mm

Surface Pickled

Version Do not forget grid/outlet house

RSK Number 7097013

Dimension Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	1000×150 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7097014	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	1200×150 mm	
Surface	Pickled	

Do not forget grid/outlet house

Version

RSK Number	7103056		
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Floor Construction	Concrete flooring		
Floor Covering	Vinyl		
Function	Central outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Size	500×150 mm		
Surface	Pickled		
Version	Do not forget grid/outlet house		
RSK Number	7103060		
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Floor Construction	Concrete flooring		
Elear Covering			
Floor Covering	Vinyl		
Function	Vinyl Central outlet		
-	•		
Function	Central outlet		

Surface	Pickled		
Version	Do not forget grid/outlet house		
RSK Number	7103057		
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Floor Construction	Concrete flooring		
Floor Covering	Vinyl		
Function	Central outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Size	600×150 mm		
Surface	Pickled		
Version	Do not forget grid/outlet house		
RSK Number	7103058		
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Floor Construction	Concrete flooring		
Floor Covering	Vinyl		
Function	Central outlet		

Material Acid-resistant stainless steel 1.4404 900×150 mm Size **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103059 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Vinyl **Function** Central outlet **Stainless Item Color Material** Acid-resistant stainless steel 1.4404 Size 1100×150 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103061 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction

Vinyl

Floor Covering

Function Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 1400×150 mm **Surface** Pickled Version Do not forget grid/outlet house **RSK Number** 7103062 **Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Floor** Concrete flooring Construction **Floor Covering** Vinyl **Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Size** 1500×150 mm Surface **Pickled** Do not forget grid/outlet house Version **RSK Number** 7103063

DimensionBottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	2000×150 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
RSK Number	7103064	
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Size	2500×150 mm	
Surface	Pickled	

Do not forget grid/outlet house

Version

Dimension (mm)	LxW (mm)	H (mm)
500x150	502x151	66,3
600x150	602x151	66,3
800x150	802x151	66,3
900x150	905x151	66,3
1000x150	1002x151	66,3
1100x150	1102x151	71,3
1200x150	1202x151	71,3
1300x150	1302x151	71,3
1400x150	1402x151	71,3
1500x150	1502x151	71,3
2000x150	2002x151	76,3
2500x150	2502x151	76,3

